





1. All dimensions are in millimeters, rounded to the nearest 5 mm.
2. Heights are given in meters, rounded to the nearest centimeter.
3. Measurements were taken using a NIKON total station with the point survey method in a local coordinate system.
4. Heights are measured from the finished floor level to the ceiling.
5. Outlets are measured to their center point, and outlet groups are measured to the midpoint between outlets.



Nº	Name	Area, sq.m.
1	Staircase	10.3
2	Corridor	17.5
3	Double light	18.5
4	Bedroom 1	18.9
5	Bedroom 2	21.5
6	Bedroom 3	19.9
7	Master Bedroom	28.1
	Total	134.7

Notes:

- All dimensions are in millimeters, rounded to the nearest 5 mm.
- Heights are given in meters, rounded to the nearest centimeter.
- Measurements were taken using a NIKON total station with the point survey method in a local coordinate system.
- Heights are measured from the finished floor level to the ceiling.
- Outlets are measured to their center point, and outlet groups are measured to the midpoint between outlets.



- Notes:
- 1. All dimensions are in millimeters, rounded to the nearest 5 mm.
 - 2. Heights are given in meters, rounded to the nearest centimeter.
 - 3. Measurements were taken using a NIKON total station with the point survey method in a local coordinate system.
 - 4. Heights are measured from the finished floor level to the ceiling.
 - 5. Outlets are measured to their center point, and outlet groups are measured to the midpoint between outlets.



Notes:

- ## ELECTRICAL LAYOUT, GROUND FLOOR



Notes:

1. All dimensions are in millimeters, rounded to the nearest 5 mm.
2. Heights are given in meters, rounded to the nearest centimeter.
3. Measurements were taken using a NIKON total station with the point survey method in a local coordinate system.
4. Heights are measured from the finished floor level to the ceiling.
5. Outlets are measured to their center point, and outlet groups are measured to the midpoint between outlets.